



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 01-179)

In the Application of:

Rowe et al.

Serial No.: 09/786,253

Filing Date: March 2, 2001

For: Control of Acidosis

Examiner: V. Portner

Group Art Unit: 1645

Confirmation No.: 2281

Mail Stop Issue Fee
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

APPLICANT'S COMMENT ON PATENT TERM ADJUSTMENT CALCULATION AND FILING OF TERMINAL
DISCLAIMER

Dear Sir:

Applicants wish to make the following of record in the above identified patent application:

- 1) Applicants are in agreement with the calculation of the Office, noted in the Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) mailed August 17, 2005, that the Patent Term Adjustment to date is 221 days.
- 2) Applicants note that a Terminal Disclaimer to Obviate a Double Patenting Rejection Over a Prior Patent has been filed in this application, which may alter the applicability of the Patent Term Adjustment.

Respectfully submitted,

Date: November 9, 2005

Michael S. Greenfield
Registration No. 37,142

McDonnell Boehnen Hulbert & Berghoff
300 South Wacker Drive, 32nd Floor
Chicago, IL 60606

Telephone: 312-913-0001
Facsimile: 312-913-0002